



STANDARD PLAST PANELI



062 291 916



standardplastpaneli.com

BASIC PANELI DOSTUPNI U PVC, ALU I HPL IZVEDBI U BOJAMA



SPP 1



SPP 2




SPP 3



SPP 4



SPP 5



SPP 6



SPP 7



SPP 8



SPP 9



SPP 10



SPP 11



SPP 12


PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 1



PPX 2



PPX 3



PPX 4



PPX 5



PPX 6



PPX 7



PPX 8



PPX 9



PPX 10



PPX 11



PPX 12

PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 13




PPX 14



PPX 15



PPX 16



PPX 17



PPX 18



PPX 19




PPX 20



PPX 21



PPX 22



PPX 23



PPX 24


PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 25



PPX 26



PPX 27



PPX 28



PPX 29



PPX 30



PPX 31



PPX 32



PPX 33



PPX 34



PPX 35



PPX 36

PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 37



PPX 38



PPX 39



PPX 40



PPX 41



PPX 42



PPX 43



PPX 44



PPX 45



PPX 46



PPX 47



PPX 48

PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 49



PPX 50



PPX 51



PPX 52



PPX 53



PPX 54




PPX 55




PPX 56



PPX 57



PPX 58



PPX 59



PPX 60

PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 61



PPX 62



PPX 63



PPX 64



PPX 65



PPX 66



PPX 67



PPX 68



PPX 69



PPX 70



PPX 71



PPX 72

PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 73



PPX 74



PPX 75



PPX 76



PPX 77



PPX 78



PPX 79



PPX 80



PPX 81



PPX 82



PPX 83



PPX 84

PREMIUM PANELI U PVC, ALU I HPL IZVEDBI



PPX 85




PPX 86



PPX 87



PPX 88



PPX 89



PPX 90



PPX 91



PPX 92




PPX 93



PPX 94



PPX 95



PPX 96

Program PVC, HPL i ALU dekorativnih panela

Mogu biti standardno ojačani ili bez ojačanja.

Debljina panela dostupna je u dimenzijama 24 mm, 36 mm i 40 mm, dok su ostale debljine dostupne na upit.

Kod panela debljine 24 mm moguće je ugraditi dvoslojno staklo, dok se kod panela debljine 36 mm i više koristi isključivo troslojno staklo.

Aplikacije na panelima uglavnom su od inoxa.

HPL paneli izrađuju se u različitim bojama, dok se ALU paneli mogu raditi u širokom spektru boja, prema želji kupca.

Mogućnosti dizajna dekorativnih panela su veoma velike i zavise od izbora stakala, boja, materijala i debljina.

Standardni ALU paneli, kao i paneli za skriveno krilo, izrađuju se bez ojačanja. PVC panele radimo sa korama debljine 2 mm, dok ALU panele izrađujemo od 1 mm do 3 mm.

Naša preporuka je da debljina vanjskog aluminijskog lima bude 3 mm, radi maksimalne čvrstoće i dugotrajnosti.

